

Butler County, Ohio

Status	Correlation Date	Area Name	Legend text notes
Published	3/1/1977 12:00:00 AM	Butler County, Ohio	<p>07/31/2003</p> <p>10/25/2004 - export to soil data warehouse</p> <p>06/06/2005 - Added map units to join Preble County. Jeff Glanville</p> <p>06/15/2006 - Includes data required by National Bulletin 430-5-7. Jeff Glanville</p> <p>07/06/2006 - Includes map unit AwA, added to join Hamilton County and Warren County. AwA wasn't added with any of the previous amendments. Jeff Glanville</p> <p>09/11/2006 - Includes map units added to join Hamilton County. These map units, including AwA, are on amendment 6. Jeff Glanville</p> <p>12/08/2006 - Includes data required by National Bulletin 430-5-7. Jeff Glanville</p> <p>05/20/2009 - Edited Kw and/or Kf in the following horizons to correct Kw > Kf errors:</p> <p>CdD2 - Casco - H2 CdE - Casco - H2.</p> <p>Jeff Glanville</p> <p>05/25/2011 - Added a minor component to Wyc2. Jeff Glanville</p> <p>09/28/2012 - Added a new map unit as a result of MLRA recorrelation activities. New map unit is:</p> <p>WsS1A1 - Westboro-Schaffer silt loams, 0 to 2 percent slopes</p> <p>The following map unit was deleted:</p> <p>AvA - Avonburg silt loam, 0 to 2 percent slopes</p> <p>Avonburg soils in Ohio were investigated. Symbol for new map unit is the same in all Ohio counties. One DMU is used for each new map unit in all counties.</p> <p>Jeff Glanville</p> <p>FY2014 - Added new map units as a result of MLRA update activities. New map units are:</p> <p>JoR1B1 - Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes JoR1B2 - Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded</p> <p>The following map unit was deleted:</p> <p>RpB - Rossmoyne silt loam, 2 to 6 percent slopes.</p> <p>Rossmoyne soils in Ohio were investigated. Symbols for new map units are the same in all Ohio counties. One DMU is used for new map unit in all counties.</p> <p>Added new map units as a result of sdjr projects:</p> <p>FcA - Fincastle silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes MnC3 - Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded</p> <p>The following map units were deleted:</p> <p>FcA - Fincastle silt loam, 0 to 2 percent slopes MnC3 - Miamian clay loam, 6 to 12 percent slopes, severely eroded</p> <p>Replaced DMU's for one map unit as a result of sdjr project:</p> <p>CeB - Celina silt loam, 2 to 6 percent slopes</p>

Jeff Glanville 11-05-2013

07-01-2014 - Changed Farm Class for map units approved as Farmland of local importance. Jeff Glanville

for FY2015 - Added new map units as a result of sdjr projects:

CrA - Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes

MlB2 - Miamian silt loam, 2 to 6 percent slopes, eroded

OcA - Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes

OcB - Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes

XeA - Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes

The following map units were deleted:

CrA - Crosby silt loam, 0 to 2 percent slopes

MlB2 - Miamian silt loam, 2 to 6 percent slopes, moderately eroded

OcA - Ockley silt loam, 0 to 2 percent slopes

OcB - Ockley silt loam, 2 to 6 percent slopes

XeA - Xenia silt loam, 0 to 2 percent slopes

Also includes calculated values for the 8 stored interpretations, as required by National Bulletin 430-14-3.

Jeff Glanville 09-10-2014